



**POWER
TOOLS**

**#READY
FOR WORK**

**TOUGH
TOOLS
FOR
TOUGH
MEN**



HAND DRILL



DRILL BM 10 CLASSIC

Art. No. 5717020130

Power Input	350 W
Nominal Voltage	220 V/AC
Max. Torque	21 Nm
Max. Drill Chuck Span Width	1-10 mm
Weight	1.2 kg
Include Chuck Key	Yes
Tool Case	No

HAND DRILL



DRILL BM 13 CLASSIC

Art. No. 5717025140

Power Input	650 W
Max. Torque	25 Nm
Max. Drill Chuck Span Width	13 mm
Max. Drill Cap. [Steel]	10 mm
Max. Drill Cap. [Stainless Steel]	10 mm
Weight	1.65 kg
Tool Case	No

IMPACT DRILL



IMPACT DRILL SB 13 CLASSIC

Art. No. 5717024140

Power Input	550 W
Idle Speed 1st Gear	0-44800 rpm
Idle Speed 2nd Gear	0-3000 rpm
Max. Drill Chuck Span Width	10 mm
Max. Drill Cap. [Steel]	10 mm
Max. Drill Cap. [Concrete]	13 mm
Weight	1.65 kg
Tool Case	No



COMBIHAMMER BMH 45-XE

Art. No. 07025571

COMBINATION HAMMER

Power Input	1050 W
Min./Max. Idle Speed	0-305 rpm
Min./Max. Impact Rate	1380-2760 rpm
Impact Energy	12.50 Joules
Min./Max. Drill Cap. [Concrete]	12-45 mm
Min./Max. Drill Cap. [Masonry]	8.90 kg
Bit System	SDS Max
Tool Case	Yes



CHISEL HAMMER MH 5-V CLASSIC

Art. No. 5717028011

CHIPPING HAMMER

Power Input	1050 W
Impact Energy	7.5 Joules
Weight	5.40 kg
12 Lockable Positions	Yes
Bit System	SDS Max
Tool Case	Yes



CHIPPING HAMMER MH 11-XE

Art. No. 07025721

CHIPPING HAMMER

Power Input	1700 W
Impact Energy	23 Joules
Min./Max. Impact Rate	900-1700 rpm
Removal Performance	1100 kg/h
Impact Energy	23 Joules
Weight	11.40 kg
Bit System	SDS Max
Tool Case	Yes



ANGLE GRINDER EWS 7-125-E BASIC

Art. No. 57070130

ANGLE GRINDERS

Power Input	720 W
Max. Idle Speed	11000 rpm
Max. Cutting Disc Diameter	125 mm
Spindle Thread	M14
Weight	1.8 kg
Switch Type	Side
	Restarting protection
	Overloading protection



ANGLE GRINDER EWS 20-180 CLASSIC

Art. No. 5717022130

ANGLE GRINDERS

Power Input	2000 W
Max. Idle Speed	8500 rpm
Max. Cutting Disc Diameter	180 mm
Spindle Thread	M14
Weight	4.3 kg
Switch Type	Deadman

CUT-OFF MACHINE MMS 23-S CLASSIC

Art. No. 5717027010

SAWS

Power Input	2000 W
Max. Idle Speed	3900 rpm
Max. Cutting Disc Diameter	355 mm
Bore Diameter	25.4 mm
Weight	16.3 kg
Length	458 mm
Width	271 mm



SPRAY SUCTION DEVICE SEG 10-2

Art. No. 07011110



VACUUM

Power Input	1380 W
Flow Capacity	60 l/sec
Underpressure	23 kPa
Fresh Water Tank	8 l
Dirty Water Tank	7 l
Max. Cleaning Solution	50° C
Sound Pressure Level	71 dB
Weight	9.8 kg

INDUSTRIAL WET AND DRY VACUUM CLEANER ISS 30-L AUTOMATIC

Art. No. 07011330



VACUUM

Power Input	1380 W
Flow Capacity	74 l/sec
Underpressure	23 kPa
Container Capacity	30 l
Hose Connection Diameter	35 mm
Sound Pressure Level	69 dB
Width	370 mm
Height	580 mm

INDUSTRIAL WET AND DRY VACUUM CLEANER ISS 35

Art. No. 07011371



VACUUM

Power Input	1380 W
Flow Capacity	61 l/sec
Underpressure	230 mbar
Container Capacity	34 l
Hose Connection Diameter	58 mm
Length	517 mm
Width	375 mm
Height	572 mm



IMPACT DRILL ESB 65-13K CLASSIC

Art. No. 5717031131

IMPACT DRILL

Power Input	650 W
Idle Speed 1st Gear	0-2800 rpm
Idle Speed 2nd Gear	0-3000 rpm
Max. Drill Chuck Span Width	13 mm
No. of Impacts (bpm)	0-44800
Max. Drill Cap. [Concrete]	13 mm
Weight	1.65 kg
Tool Case	Yes



HAMMER DRILL H 8-28 CLASSIC

Art. No. 5717026141

ROTARY HAMMER DRILL

Power Input	800 W
Max. Impact Rate	4000 rpm
Impact Energy	4.2 Joules
Min. Drill Cap. [Concrete]	10 mm
Max. Drill Cap. [Concrete]	16 mm
Weight	2.90 kg
Bit System	SDS Plus
Tool Case	Yes



COMBIHAMMER BMH 40-V CLASSIC

Art. No. 5717029011

COMBINATION HAMMER

Power Input	1100 W
Min./Max. Idle Speed	235-500 rpm
Min./Max. Impact Rate	1350-2870 rpm
Impact Energy	10 Joules
Max. Drill Cap. [Concrete]	40 mm
Bit System	SDS Max
Anti-Kickback Control	Yes
Tool Case	Yes



CHIPPING HAMMER MH 16-XE

Art. No. 07025751

CHIPPING HAMMER

Power Input	1750 W
Impact Energy	41 Joules
Min./Max. Impact Rate	0-1300 rpm
Impact Energy	23 Joules
Weight	16.50 kg
Length x Height	760 x 165 mm
Bit System	30mm Hex
Tool Case	Yes



ANGLE GRINDER EWS 7-100 CLASSIC

Art. No. 5717018130

ANGLE GRINDERS

Power Input	750 W
Max. Idle Speed	12000 rpm
Max. Cutting Disc Diameter	105 mm
Spindle Thread	M10
Weight	1.4 kg
Switch Type	Side



ANGLE GRINDER EWS 8-100 CLASSIC

Art. No. 5717021130

ANGLE GRINDERS

Power Input	850 W
Max. Idle Speed	11000 rpm
Max. Cutting Disc Diameter	105 mm
Spindle Thread	M10
Weight	1.4 kg
Switch Type	Side



HAND-HELD CIRCULAR SAW ECS 1100

Art. No.

SAWS

Power Input	1100 W
Bore Diameter	20 mm
Max. Saw Blade Diameter	190 mm
Base Plate Length & Width	250 x 150 mm
Weight	3.6 kg



SABRE SAW SBS 1300

Art. No. 5717014011

SAWS

Power Input	1300 W
Stroke Length	30 mm
No. of Strokes	0-3,000 min-1
Cutting Capacity [Pipe]	130 mm
Cutting Capacity [Wood]	255 mm
Current	13 A
Weight	3.3 kg



ELECTRONIC HOT AIR BLOWER HLG 2000

Art. No. 07022020

BLOWER

Power Input	2000 W
Min./Max. Temperature	50 to 60°
Min./Max. Current	150-500 l/min
Weight	0.87 kg
Length of Cable	4 m



MAGNETIC CORE DRILL MKB 35

Art. No. 57092001

CORE DRILL

Power Input	1100 W
Min./max. Drill Diameter	12-35 mm
Cutting Depth	50 mm
Lift Height	120 mm
Rotational Speed	450 rpm
Magnetic Force	9000 N
Tool Holding Device	Weldon
Weight	10 kg



CORE DRILL DS 180-T

Art. No. 570911602

CORE DRILL

Power Input	2400 W
Idle Speed 1st Gear Max.	780 rpm
Idle Speed 2nd Gear Max.	1690 rpm
Idle Speed 3rd Gear Max.	3520 rpm
Min./Max. Drill Diameter 1st Gear	70-180 mm
Min./Max. Drill Diameter 2nd Gear	35-70 mm
Min./Max. Drill Diameter 3rd Gear	8-35 mm
Weight	6.8 kg



CORE DRILL DS 300

Art. No. 57091140

CORE DRILL

Power Input	2400 W
Idle Speed 1st Gear Max.	450 rpm
Idle Speed 2nd Gear Max.	900 rpm
Idle Speed 3rd Gear Max.	1600 rpm
Min./Max. Drill Diameter 1st Gear	120-300 mm
Min./Max. Drill Diameter 2nd Gear	60-150 mm
Min./Max. Drill Diameter 3rd Gear	25-80 mm
Weight	12 kg

DRILLING STAND
**DRILLING STAND
DS COMPACT**

Art. No. 570911611

Compact drilling stand for diamond core drills DS 180



Column Height	725 mm
Max. Core Drill Bit Diameter	200 mm
Suitable for Max. Drill Bit Diameter	200 mm

DRILLING STAND
**DRILLING STAND
DS COMFORT**

Art. No. 57091420

Compact drilling stand for diamond core drills DS 180 and DS 300



Column Height	920 mm
Max. Core Drill Bit Diameter	300 mm
Suitable for Max. Drill Bit Diameter	300 mm

**HIGH-PERFORMANCE
GAS-POWERED NAIL GUN
DIGA® CS-2 POWER**

Art. No. 0864902


PIN DRIVER

Fastening Energy	105 Joules
Nominal Voltage	6V/DC
Battery Capacity	1.5 Ah
No. of nail insertions per battery	3000 pcs.
Magazine Capacity	40 pcs.
Min./Max. Nail Length	1.5-40 mm
Min./Max. Nail Diameter	2.6 - 3.7 mm
Weight	3.7 kg

LASERS
**MULTI-LINE LASER
MLG 19**

Art. No. 5709300042



Horizontal Accuracy	+/-2.4 mm/10 m
Vertical Accuracy	+/-2.4 mm/10 m
Self Leveling Range (+/-)	4 Degree, ≤2s
Type of Battery	Li-Ion 10400 mAh
Laser Category	2
IP Protection Class	IP 54
Tripod Connection	1/4"
Charge port	USB Type C; DC 5V2A

LASERS
**ROTATION LASER
RL5-14**

Art. No. 5709300042



Coverage Distance	600 m
Measuring Accuracy (per length)	0.75 mm/10 m
Self Leveling Range (+/-)	6 Degree
Type of Battery	Li-Ion
Laser Category	2
IP Protection Class	IP 67
Min./Max. Storage Temperature	-20 to 70° C

COMPRESSORS
**Compressor
K 290-2**

Art. No. 07012290



Power Output	2.2 kW
Max. Pressure	10 bar
Tank Capacity	20 L
Intake air capacity	284 L/min
Rotation Speed	2825 rpm
Min./max. temperature conditions	5-40 °C
Sound-pressure level	79 dB
Weight	35 kg



POWER TOOLS

#READY FOR WORK

Wuerth Philippines Inc.
 Technology Avenue, Laguna Technopark,
 Binan, Laguna, 4024
 Tel. no.: (02) 8584 4619 • 8584 4682 • 8584 4842
 Fax: (02) 8584 4812

Wuerth Business Center
 G-15 Technopoint One Bldg., Ortigas Home Depot Complex,
 1 Doña Julia Vargas Ave, Pasig City
 Tel. no.: (02) 83560839
 Mobile: 0917 8232129